

Introduction

Vega Trailer is European leading manufacturing company of semi-trailers and special trailers for the special haulage industry. Our special trailers are distributed through international network of trailer dealers in Europe, Africa and worldwide.

We provide all the documents required for the registration of our trailers in Europe and international markets.



About us:

VEGA TRAILER is new Brand from **ÖZSAN TREYLER LTD** which was established since 1982 as a family company.

Since its inception, we are engaged to manufacture the variety products of quality like a notion work principle.

With 7000 m² of production buildings, we produce the best quality and long-lasting products.

We are making our products more quality and more technological with R & D works.

With our factory brands such as **VEGA TRAILER** and **Özsan Trailer**, we manufacture all type of **Lowbed Semi-trailer, Tipper Trailer, Huge Dumper, Truck Tipper, Platform Trailer, Container Carrier, Dolly Trailer, Car Carrier Trailer, Tractor & Cabin Carrier, Truck Carrier Trailer and Chassis.**

We manufacture very accurate technological conditions for each product with different workmanship.

Our company is customer-oriented, we have an important place in the domestic market and overseas. With our dynamic team of successful exportation to the international markets.

We have **ISO 9001-2015** quality certification, **The European Vehicle Type Approval Certificate**, **TSE service qualification certificate**, **TSE after-sales service qualification certificate**. We have been enrolled with our **quality**.



**CODE:
(TC-300)**

3 AXLE CLASSIC (TRUCK CARRIER)



3 AXLE CLASSIC TRUCK CARRIER

TECHNICAL SPECIFICATION

Total Length: 13600 mm+2300 mm Middle + 1300 mm Rear Extension

Width: 2550 mm

Capacity: 3-unit Trucks - 1-unit Bus – 2 units minibus

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Units, 245 70 R 17,5 or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch is used on Front (Option)

Paint or 100% Galvanized

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(TC-310)

3 AXLE VEGA-3 (TRUCK CARRIER)



3 AXLE VEGA-3 TRUCK CARRIER

TECHNICAL SPECIFICATION

Total Length: 13600 mm+2300 mm Middle + 1300 mm Rear Extension

Width: 2550 mm

Capacity: 3-unit Trucks - 1-unit Bus – 2 units minibus

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Units, 245 70 R 17,5 or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch is used on Front

5 Ton Winch is used on Rear (Option)

Paint or 100% Galvanized

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



**CODE:
(TC-320)**

3 AXLE ALPHA (TRUCK CARRIER)



3 AXLE ALPHA TRUCK CARRIER

TECHNICAL SPECIFICATION

Total Length: 13600 mm+2300 mm Middle + 1300 mm Rear Extension

Width: 2550 mm

Capacity: 3-unit Trucks - 1-unit Bus – 2 units minibus

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Units, 245 70 R 17,5 or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch is used on Front

Paint or 100% Galvanized

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(TC-330)

3 AXLE PROMAX (TRUCK CARRIER)



3 AXLE PROMAX (TRUCK CARRIER)

TECHNICAL SPECIFICATION

Total Length: 13600 mm+2300 mm Middle + 1300 mm Rear Extension

Width: 2550 mm

Capacity: 3-unit Trucks - 1-unit Bus – 2 units minibus

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Units, 245 70 R 17,5 or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch is used on Front (Option)

5 Ton Winch is used on Rear (Option)

Aluminum Rims: (Option)

Paint or 100% Galvanized

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(TC-340)

3 AXLE ALPHAMAX (TRUCK CARRIER)



3 AXLE ALPHAMAX (TRUCK CARRIER)

TECHNICAL SPECIFICATION

Total Length: 13600 mm+2300 mm Middle + 1300 mm Rear Extension

Width: 2550 mm

Capacity: 3-unit Trucks - 1-unit Bus – 2 units minibus

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Units, 245 70 R 17,5 or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch is used on Front (Option)

5 Ton Winch is used on Rear (Option)

Aluminum Rims: (Option)

100% Galvanized

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



**CODE:
(TC-200)**

2 AXLE VEGA-FIX (TRUCK CARRIER)



2 AXLE VEGA-FIX (TRUCK CARRIER)

TECHNICAL SPECIFICATION

Total Length: 13600 mm + 1300 mm Rear Extension

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5 or 235 70 R 17.5 or 215 75 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch is used on Front (Option)

5 Ton Winch is used on Rear (Option)

Aluminum Rims: (Option)

Paint or 100% Galvanized (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



**CODE:
(TC-220)**

2 AXLE VEGA-S (TRUCK CARRIER)



2 AXLE VEGA (TRUCK CARRIER)

TECHNICAL SPECIFICATION

Total Length: 13600 mm+3000 mm Middle+ 1300 mm Rear Extension

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5 or 235 70 R 17.5 or 215/ 75 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

7.8 Ton Winch is used on Front (Option)

5 Ton Winch is used on Rear (Option)

Aluminum Rims: (Option)

100% Galvanized (Option)

Side Color: Up to Customer choice



CODE:
(TC-240)

2 AXLE VEGAMAX (TRUCK CARRIER)



2 AXLE VEGAMAX (TRUCK CARRIER)

TECHNICAL SPECIFICATION

Total Length: 13600 mm+3000 mm Middle+ 1300 mm Extension

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5 or 235 70 R 17.5 or 215/ 75 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch is used on Front

5 Ton Winch is used on Rear (Option)

Aluminum Rims: (Option)

100% Galvanized (Option)

Side Color: Up to Customer choice



CODE:
(VG-L2G)

2 AXLE GALVANIZED LOWBED



2 AXLE GALVANIZED LOWBED

TECHNICAL SPECIFICATION

Total Length: 10540 mm

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5. 235 70 R 17.5 or 215 75 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized: (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



**CODE:
(VG-L3)**

3 AXLE STANDARD LOWBED



3 AXLE STANDARD LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



**CODE:
(VG-LI)**

3 AXLE ITALIANO LOWBED



3 AXLE ITALIANO LOWBED

TECHNICAL SPECIFICATION

Total Length: 13900 mm

Width: 2550 mm

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized: (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



**CODE:
(VG-K3)**

3 AXLE KASHWAA LOWBED



3 AXLE KASHWAA LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized (Option)

Side Color: Up to Customer choice



CODE:
(VG-LS)

3 AXLE SPECIAL ITALIANO LOWBED



3 AXLE SPECIAL LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized: (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(VG-LS)

3 AXLE SPECIAL LOWBED



3 AXLE SPECIAL LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized (Option)

Side Color: Up to Customer choice



**CODE:
(VG-LG)**

3 AXLE GERMAN LOWBED



3 AXLE GERMAN LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(VG-LP)

3 AXLE POOL LOWBED



3 AXLE POOL TYPE LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 3 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 12+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



**CODE:
(VG-L4)**

4 AXLE STANDARD LOWBED



4 AXLE STANDARD LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 4 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 16+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized: (Option)

Side Color: Up to Customer choice



CODE:
(VG-LG)

4 AXLE GERMAN LOWBED (EXTENDABLE)



4 AXLE GERMAN LOWBED (EXTENDABLE)

TECHNICAL SPECIFICATION

Total Length: 13600 mm or Special Length

Width: 2550 mm or Special Length

Axle: 4 * 12 tons capacity Drum axle Local Brand - SAF- BPW BPW)

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 16+1 Unit 245 70 R 17,5. Or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Paint: 100% Galvanized (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(VG-L5)

5 AXLE LOWBED



5 AXLE LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm or Special Length

Width: 2550 mm or Special Length

Axle: 5 * 12 tons capacity Drum axle Local Brand - SAF- BPW BPW)

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 20+1 Unit 245 70 R 17,5. Or 235 70 R 17,5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Paint: 100% Galvanized (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(VG-L6)

6 AXLE LOWBED



6 AXLE LOWBED

TECHNICAL SPECIFICATION

Total Length: 13600 mm or Special Length

Width: 2550 mm or Special Length

Axle: 6 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 24+1 Unit 245 70 R 17,5. or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Paint

Side Color: Up to Customer choice



**CODE:
(VG-CC8)**

2 AXLE CAR CARRIER



2 AXLE CAR CARRIER SEMI-TRAILER

TECHNICAL SPECIFICATION

Total Length: 13600 mm+1300 mm Extension

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5 or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized (Option)

Side Color: Up to Customer choice



CODE:
(VG-J6)

2 AXLE JEEP CARRIER



2 AXLE JEEP CARRIER SEMI-TRAILER

TECHNICAL SPECIFICATION

Total Length: 13600 mm+1300 mm Extension

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5 or 235 70 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Paint or 100% Galvanized: (Option)

Side Color: Up to Customer choice

Address: Orhaniye mahallesi 2040. Cadde No: 12 / Kahramankazan / Ankara Turkey
Tel: +90 312 354 12 42 /WhatsApp: +90 530 547 90 40
www.vegatrailer.com / sales@vegatrailer.com



CODE:
(VG-D1)

3 AXLE VEGA TIPPER



3 AXLE TIPPER SEMI-TRAILER

TECHNICAL SPECIFICATION

Volume : 24m³, 26m³, 28m³, 30m³ etc....

Body Length: 7200 mm +-

Width: 2550 mm

Axle: Disc or Drum Brake axles Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 6+1 Unit 385 / 65 R 22.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Aluminum Rims: (Option)

Color: Up to Customer choice



**CODE:
(VG-HD)**

2 GROUP AXLES HUGE TIPPER



3 AXLE TIPPER SEMI-TRAILER

TECHNICAL SPECIFICATION

Volume: 24m³, 26m³, 28m³, 30m³ 70m³ etc....

Body Length: 9000 mm+-

Width: 3600 mm

Axle: Drum Brake axles Local Brand (Special)

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 16+1 Unit 12 R 22.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Hyva Cylinder: (Option)

Aluminum Rims: (Option)

Color: Up to Customer choice



CODE:
(D-1)

3 AXLE STANDARD TIPPER



3 AXLE STANDARD TIPPER SEMI-TRAILER

TECHNICAL SPECIFICATION

Volume : 24m³, 26m³, 28m³, 30m³ etc....

Body Length: 7200 mm or Special needs

Width: 2500 mm

Axle: Drum /Disc Brake axles are used (Trax, SAF or BPW)

Suspension System: Mechanic / Pneumatic (Air Suspension)

Tyre and Rim: 6+1 Unit 385 65 R 22.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck – Saba

Hyva Cylinder: (Option)

Aluminum Rims: (Option)

Color: Up to Customer choice



**CODE:
(VG-A)**

2 AXLE ARLA



2 AXLE ARLA (TRUCK CARRIER)

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5 or 235 70 R 17.5 or 215/ 75 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch can be used under the gooseneck

5 Ton Winch is used on Rear (Option)

Aluminum Rims: (Option)

100% Galvanized (Option)

Side Color: Up to Customer choice



**CODE:
(VG-DA)**

2 AXLE DUZ AUTO



2 AXLE DUZ AUTO (CAR CARRIER)

TECHNICAL SPECIFICATION

Total Length: 13600 mm

Width: 2550 mm

Axle: 2 * 12 tons capacity Drum axle Local Brand - SAF – BPW

Suspension System: Pneumatic (Air Suspension)

Tyre and Rim: 8+1 Unit 245 70 R 17,5 or 235 70 R 17.5 or 215/ 75 R 17.5

Brake System: EBS brake system (Wabco)

Electric System: Aspöck - Saba

7.8 Ton Winch can be used under the gooseneck

5 Ton Winch is used on Rear (Option)

Aluminum Rims: (Option)

100% Galvanized (Option)

Side Color: Up to Customer choice

